

# ROPCO

REPLACEMENT OF OPERATOR  
CONTROL UNIT



# ROPCO

## RUGGEDIZED OBSOLESCE-NEE-FREE PORTABLE CUSTOMER OPTIMIZED TESTER

### THE RUGGEDIZED SOLUTION FOR GROUND SUPPORT ACTIVITIES

#### SYSTEM CONTROL, DATA MONITORING AND LOADING

##### ENVIRONMENTAL CONDITIONS

###### Temperature

- Operation: -15°C to +40°C
- Storage: -25°C to +65°C

###### Humidity

- 10 % to 95 % Operation, Transport and Storage (not condensating)

###### Rain/Dust

- Class IP54

###### Shock and Vibration

- Vibration: acc: MIL-Std. 810F, Method 514.5, Category 20, 14, 24, 5-500Hz, 2g (Transport)

###### Altitude

- NN up to 4572 m Operation
- NN up to 12180 m Transport

###### EMC

- MIL-STD 461E, Navy Fixed and Air Force



Typ: Rocky RK9

CPU: Intel 2 Duo P8400 2,26 GHz

RAM: 4GB

Env: IP65, MIL-STD-810 G

Zone certification according Zone 1

##### Interfaces Extension box

- LAN
- RS422/RS232
- Discrete I/O
- Milbus 1553B
- Digital I/O




# SPHEREA

# ROPCO

RUGGEDIZED OBSOLESCE-NEE-FREE PORTABLE  
CUSTOMER OPTIMIZED TESTER

## UNIVERSAL SOLUTION FOR SYSTEM CONTROL, DATA MONITORING AND LOADING



# ROBUST TRANSPORT BOX

**ROPCO** includes a Control Computer and an Extension Box, portable in a robust Transport Box.

## ROBUST TRANSPORT BOX

Established use in different NATO forces

Dimensions 647 x 611 x 444 mm

Weight 15,3 kg

Color Black FED-STD 27040

Compliant to MIL-STD-810



### SPHEREA FRANCE

Spherea SAS  
5, avenue Guynemer -  
CS70086  
31772 Colomiers  
Cedex - France  
Tel. +33 5 34 55 40 00  
Fax +33 5 34 55 40 56

Parc de l'envol  
2 rue du Maréchal de Lattre  
de Tassigny - CS70570  
78997 Elancourt - France  
Tel. +33 1 84 27 30 00  
Fax +33 1 84 27 31 91

### SPHEREA GERMANY

Spherea GmbH  
Magirus-Deutz-Str. 13  
89077 Ulm  
Tel. +49 731 17630 0  
Fax +49 731 17630 109  
sales@spherea.de

### SPHEREA UK

Spherea Ltd  
23-25 Cobham Road  
Ferndown Industrial  
BH21 7PE Wimborne, Dorset  
Tel. +44 1202 872 800

[www.spherea.com](http://www.spherea.com)

# ROPCO

RUGGEDIZED OBSOLESCENCE-  
FREE PORTABLE CUSTOMER  
OPTIMIZED TESTER



SPHEREA



SPHEREA